









The O'Wood factory and its craftsmen have been growing professionally for over 30 years delivering quality products in ever increasing array of new areas.

Currently the activities of the company OSUKALNS GROUP include logging, timber processing, road construction, mining of natural resources, asphalt concrete production, real estate business, trade and service of spare parts of trucks, and production of heat and electricity.

We are a powerful team of timber processing professionals with respect for nature and its power. We pay close attention to detail in every product we make.







A superb way to personalize the interior. Fifty shades of wood at your service.

Elegant wall paneling is an integral part of emotional enjoyment. We offer a range of wall panels to help you build your well-being oasis for body and soul.

Our product is made of the highest quality aspen and alder obtained in Latvia, it is intended for both sauna and indoor wall panels. The wood is pre-dried to a minimum moisture content and then smoothly planed to obtain a perfect shine.




PANELS

PROFILE	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	COVERING WIDTH (mm)
		15	45	36
		15	70	61
		15	90	81
DAVIS	Aspen, Alder, Termo aspen,	15	120	111
	Termo alder	15	150	141
		18	65	56
		18	90	81
	T	18	140	131
	Termo radiata	18	185	176
	Aspen, Alder, Termo aspen, Termo alder	15	45	36
STP		15	70	61
		15	90	81
		15	120	111
	Aspen, Alder,	15	45	36
SHARP F-1		15	70	61
	Termo aspen, Termo alder	15	90	81
		15	120	111
		15	45	36
SHARP F-2	Aspen, Alder, Termo aspen, Termo alder	15	70	61
		15	90	81
		15	120	111



PANELS

PROFILE	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	COVERING WIDTH (mm)
DAVIS DEEP				
	Termo aspen, Termo alder	28	65	56
		15	45	36
STV	Aspen, Alder,	15	70	61
	Termo aspen,	15	90	81
	Termo alder	15	120	111
RIMAS				
	Termo radiata	20	140	128





BENCH BOARDS

PROFILE	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	COVERING WIDTH (mm)
	Aspen, Alder	22	65/80/90/120	22
PHL (R x 3mm)	Aspen, Aluer	28	45/65/90/120/140	28
	Termo aspen,	21	65/80/90/120	21
	Termo alder	28	45/65/90/120/140	28
	Termo radiata	26	185/140	26
	Termo pine	26	90/115/140	26
4F1	Aspen, Alder	22	65/80/90/120	22
		28	45/65/90/120/140	28
	Termo aspen,	21	65/80/90/120	21
	Termo alder	28	45/65/90/120/140	28
2F1	Aspen, Alder	22	65/80/90/120	22
		28	45/65/90/120/140	28
	Termo aspen,	21	65/80/90/120	21
	Termo alder	28	45/65/90/120/140	28





BARREL SAUNA

PROFILE	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	COVERING WIDTH (mm)
BLOCKHOLEN		42	90	78
5	Termo spruce, Termo pine	42	115	103
		42	140	128
BAREL	Termo spruce, Termo pine	42	90	78
		42	115	103
		42	140	128
BAREL FIN	Termo spruce, Termo pine	42	90	78
		42	115	103
		42	140	128

	STS	WOOD TYPE	-
DOOR LIST		Aspen, Alder, Termo aspen,	:

WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	
Aspen, Alder, Termo aspen, Termo alder	12	42	
	12	70	
Aspen, Alder, Termo aspen, Termo alder	27	27	
	20	40	





Aspen, Alder,	
Termo aspen,	
Termo alder	

On deman	d		
15	18		

SHADDOW LIST





ON DEMAND

PROFILE	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	COVERING WIDTH (mm)
SORMI	Aspen, Alder,	15	45	36
	Termo aspen,	15	70	61
	Termo alder —	15	90	81
		15	45	36
FAS PANEL	Aspen, Alder,	15	70	61
	Termo aspen, — Termo alder	15	90	81
		15	120	111
DAVIS BRUSHED "RUSTIC"		15	90	81
	Termo alder	15	120	111
		15	150	141
2R12	Aspen, Alder —	22	45/65/80/90/120	22
		28	45/65/90/140	28
	Termo aspen, Termo alder	21	43/65/80/90/120	21
		28	45/65/90/120/140	28
1R12		22	65/80/90/120	22
	Aspen, Alder —	28	45/65/90/120/140	28
	Termo aspen,	21	65/80/90/120	21
	Termo alder	28	45/65/90/120/140	28
		15	45	36
G&G 2F1	Aspen, Alder, Termo aspen,	15	70	61
	Termo alder	15	90	81
		15	120	111
		15	45	36
G&G 2R5	Aspen, Alder, Termo aspen,	15	70	61
	Termo alder	15	90	81
		15	120	111



FORTO

PROFILE	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	LENGTH (mm)
FORTO BENCHBOARD				
	Aspen, Alder, Termo aspen,	43	160	1950
	Termo alder			2950
FORTO BENCHBOARD				1050
	Aspen, Alder,			1950
	Termo aspen, Termo alder	43	200	2350
				2950
FORTO BENCHBOARD				1950
	Aspen, Alder, Termo aspen,	43	294	2350
	Termo alder			2950
CONSTRUCTION BEAM				
	Aspen, Alder, Termo aspen,	43	43	2200
	Termo alder	80	80	1500
FORTO BECHBOARD SUPPORT	WOOD TYPE	PCS PER SUPPORT	WIDTH OF TH BOARD (mm)	E
		2	160/200/294	
	Aspen, Alder,	3	160/200/294	
	Termo aspen, Termo alder	4	160/200	
		5	160/200*	
		6	160/200*	
*Only by request		10	160/200	



RUMBA

PROFILE LENGTH / HEIGHT WOOD TYPE USED MATERIAL (mm) DIMENSION (mm)

RUMBA AVAILABLE SIZE





Termo radiata	26 x 140
Termo radiata	26 x 185
Termo pine	26 x 140
Aspen	28 x 65
Aspen	28 x 90*
Aspen	28 x 120
Aspen	28 x 160*
Aspen Afro	28 x 65
Aspen Afro	28 x 90*
Aspen Afro	28 x 120
Aspen Afro	28 x 160*
Alder	28 x 120
Alder Afro	28 x 66*
Alder Afro	28 x 90*
Alder Afro	28 x 140*



*Only by request



ACCESSORIES

ACCESSORY			WOOD TYPE	DIMENSIONS (mm)
HEADREST 370 LIGHT			Aspen, Alder	90x315x370
HEADREST 450 LIGHT			Aspen, Alder	90x315x450
HEADREST LINEN			Aspen, Alder	120x315x450
SAND TIMER			Aspen, Alder, Termo aspen, Termo ash	43x40x275
SAUNA HANGER	111		Aspen, Alder, Termo aspen	150x42x730
SAUNA HANGER WITH SHELVES		111	Aspen, Alder, Termo aspen	175x103x730
EXHAUST VALVE D100, ROUND		63	Aspen, Alder, Termo aspen	30xD145
EXHAUST VALVE D125, ROUND			Aspen, Alder, Termo aspen	30xD169
SENSOR BOX	O'WOOD THE WOW SIDE OF WOOD	O'WOOD THE WOW SIDE OF WOOD	Aspen, Alder, Termo aspen	30x60x64




TERMO WOOD

- Thermal modification of wood is a so-called open system from JARTEK developed in Finland.
- We apply fundamentally higher temperatures than common.
- By applying steam and high temperatures we achieve durability class 1.
- For exterior application we seek to achieve best possible dimensional stability and durability against wood decaying funghi.



After installation

Untreated wood exposed to UV light



THERMALLY MODIFIED WOOD IS

- free of hazardous emissions
- with improved stability and durability
- naturally enhanced using only heat & steam



MODIFICATIONS

BRUSHING





END MATCHING






PAINTED*






*Only by request







CONTACT US



Juris Kudeiko

Export sales manager

Tel: +371 29245598

juris.kudeiko@osukalns.lv



Reinis Nitišs

Production and export manager

Tel: +371 28312944

reinis@osukalns.lv