



FOR SAUNA

THE BEST WOOD FOR
WELLNESS SPACES,
INTERIOR AND EXTERIOR




THE WOW SIDE OF WOOD

O'WOOD specializes in premium-quality wood products for saunas, exterior and interior design, and decking.

Our products are well recognized in the Baltic region, the Nordic countries, Western Europe, the UK, and even as far as Japan and New Zealand.

Attention to detail, high-quality standards, and the ability to adapt our manufacturing processes and products to clients' needs are our strengths, and we always aim for perfection in customer satisfaction.

O'WOOD is part of OŠUKALNS GROUP, which was founded in 1993 and is based in Latvia. OŠUKALNS GROUP operates across multiple industries and generates an annual turnover exceeding 80 million euros.



Walls & ceiling: DAVIS/ 18x185 / Thermo Radiata
Sauna bench: FORTO system/ 43x200 / Thermo Aspen











Fifty shades of wood, crafted to your vision.

Elegant wall panels and sauna bench boards play a key role in shaping atmosphere and comfort. Our collection is designed to help you create calm, harmonious spaces that support relaxation and well-being.

All products are crafted from carefully selected wood materials. Suitable for both sauna and indoor use, the material is precisely pre-dried or thermo-modified to achieve minimal moisture content, then smoothly planed for a flawless, natural finish and a pleasant tactile feel.

PANELS



PRODUCT	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	COVERING WIDTH (mm)
DAVIS 	Aspen, Alder, Thermo aspen, Thermo alder	15	45	36
		15	70	61
		15	90	81
		15	120	111
		15	150	141
	Thermo radiata	18	140	130
		18	185	175
SHARP F-1 	Aspen, Alder, Thermo aspen, Thermo alder	15	70	61
		15	90	81
SHARP F-2 	Aspen, Alder, Thermo aspen, Thermo alder	15	70	61
		15	90	81
SHARP F-3 	Aspen, Alder, Thermo aspen, Thermo alder	15	90	81
RIMAS 	Thermo radiata, Thermo taeda	20	140	128
DAVIS DEEP 	Aspen, Alder, Thermo aspen, Thermo alder	28	65	56
STP 	Aspen, Alder, Thermo aspen, Thermo alder	15	45	36
		15	70	61
		15	90	81
STV 	Aspen, Alder, Thermo aspen, Thermo alder	15	70	61
		15	90	81

PANELS




DAVIS / 15x70 / Thermo Alder



PHL / 28x65 / Aspen



RIMAS / 20x140 / Thermo Radiata



STP / 15x70 / Alder

BENCH BOARDS



PRODUCT	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)
PHL (R3)	Aspen	22	34/42/45
	Thermo aspen	28	45/65/90/120/140/150
		21	65/80/90/120
	Thermo aspen, Thermo alder	28	45/65/90/120/140
	Thermo radiata	26	140/185
	Thermo pine	26	115/140



PHL / 21x65 / Thermo Aspen




PHL / 28x90 / Thermo Aspen & Aspen



FORTO / 43x200 / Thermo Aspen





FORTO / 43x200 / Aspen

PRODUCT	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	LENGHT (mm)
FORTO BENCH BOARD 	Aspen, Alder, Thermo aspen, Thermo alder	43	160	1750
				2350
				2950



FORTO BENCH BOARD 	Aspen, Alder, Thermo aspen, Thermo alder	43	200	1750
				2350
				2950


FORTO BENCH BOARD 	Aspen, Alder, Thermo aspen, Thermo alder	43	294	1750
				2350
				2950

CONSTRUCTION BEAM	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	LENGHT (mm)
	Aspen, Alder, Thermo aspen, Thermo alder	43	43	2200
		80	80	1500

FORTO BENCH BOARD SUPPORT SET 	WOOD TYPE	TOTAL DEPTH OF THE BENCH (mm)			
			WIDTH OF THE BOARD (mm)		
			160	200	294
	Aspen, Alder, Thermo aspen, Thermo alder	2	332	412	600
		3	498	618	900
		4	664	824	NOT AVAILABLE
		10	1660	2060	NOT AVAILABLE

THREE-LAYER WOOD COMPOSITE

-  SOLID WOOD LAYER / GLUED
-  FINGER JOINTED AND GLUED LAYERS







FORTO BENCH BOARD INSTALLATION MANUAL




RUMBA

BENCH BOARD ELEMENTS



WOOD TYPE	LENGTH x HEIGHT (mm)	THICKNESS x WIDTH (mm)
THERMO RADIATA 	400 x 200	26 x 140
	800 x 200	
	1200 x 200	26 x 185
	1200 x 650	
THERMO ASPEN 	400 x 200	28 x 43
	800 x 200	
	1200 x 200	28 x 120
	1200 x 650	
ASPEN 	400 x 200	28 x 45
	800 x 200	
	1200 x 200	28 x 120
	1200 x 650	
ALDER 	400 x 200	28 x 45
	800 x 200	
	1200 x 200	28 x 120
	1200 x 650	

DIMENSION GUIDE



RUMBA bench board elements give your sauna an exclusive look. The system is easy to install and allows flexible, custom designs. O'WOOD offers tailored solutions, including various wood species and made-to-measure dimensions upon request. Contact us to discuss your project and available options.

RUMBA ELEMENTS INSTALLATION MANUAL








RUMBA / 26x185 / Thermo Radiata



RUMBA / 26x140 / Thermo Radiata

LISTS

PRODUCT		WOOD TYPE	THICKNESS (mm)	WIDTH (mm)
DOOR LIST		Aspen, Alder, Thermo aspen,	12	42
		Thermo alder	12	70
CORNER LIST		Aspen, Alder, Thermo aspen,	27	27
		Thermo alder	20	40
INSIDE CORNER LIST		Aspen, Alder, Thermo aspen, Thermo alder	25	25
<i>*On demand</i>				
SHADOW CORNER LIST		Aspen, Alder, Thermo aspen, Thermo alder	15	18










INSIDE CORNER LIST / Alder



DOOR LIST / Thermo Alder

BARREL SAUNA











PRODUCT	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	COVERING WIDTH (mm)
FJ & GLUED BLOCKBOHLEN				
	Aspen	45	120	108
BLOCKBOHLEN				
	Thermo spruce,	42	90	78
	Thermo pine	42	115	103
		42	140	128
BAREL				
	Thermo spruce,	42	90	78
	Thermo pine	42	115	103
		42	140	128
BAREL FIN				
	Thermo spruce,	42	90	78
	Thermo pine	42	115	103
		42	140	128
FLOOR BOARD				
		19	115	105
		19	140	130
		26	115	105
		26	140	130
PHL				
	Thermo pine	26	115	115
		26	140	140
DAVIS				
		19	90	80
		19	115	105
		19	140	130



Barrel saunas are one of Europe's fastest-growing wellness trends, bringing authentic Nordic relaxation into modern outdoor spaces and private garden retreats. Easy to place almost anywhere and offering exceptional value, their simple design creates a space where quality craftsmanship meets deep, restorative wellness and everyday comfort.

ON DEMAND




PRODUCT	WOOD TYPE	THICKNESS (mm)	WIDTH (mm)	COVERING WIDTH (mm)
SORMI 	Aspen, Alder,	15	45	36
	Thermo aspen,	15	70	61
	Thermo alder	15	90	81
FAS PANEL 	Aspen, Alder,	15	45	36
	Thermo aspen,	15	70	61
	Thermo alder	15	90	81
		15	120	111
DAVIS BRUSHED "RUSTIC" <small>*Knotty</small> 	Thermo alder	15	90	81
		15	120	111
		15	150	141
G&G 2F1 	Aspen, Alder,	15	45	45
	Thermo aspen,	15	70	70
	Thermo alder	15	90	90
		15	120	120
G&G 2F1 	Aspen, Alder,	15	45	45
	Thermo aspen,	15	70	70
	Thermo alder	15	90	90
		15	120	120
2R12 	Aspen, Alder	28	45/65/90/140	
	Thermo aspen,	21	43/65/80/90/140	
	Thermo alder	28	45/65/90/120/140	
4F1 	Aspen, Alder	22	65/80/90/120	
	Thermo aspen,	28	45/65/90/120/140	
	Thermo alder	21	65/80/90/120	
		28	45/65/90/120/140	
2F1 	Aspen, Alder	22	65/80/90/120	
	Thermo aspen,	28	45/65/90/120/140	
	Thermo alder	21	65/80/90/120	
		28	45/65/90/120/140	

Thermo wood

Thermowood processing takes place in a specialized thermo chamber and, depending on the thickness of the wood, the process lasts 24–78 hours, reaching temperatures of up to 225°C. Throughout the treatment, only heat and steam are used to ensure precise physical and chemical changes within the wood.

Thermowood contains no chemical additives; it is natural, long-lasting, and resistant to fungi and insects. It also demonstrates excellent dimensional stability under any conditions.

- Thermal modification of wood is an open-system process developed in Finland by Jartek.
- We apply significantly higher temperatures than those used in conventional heat-treatment processes, above those commonly applied by many other manufacturers in the industry.
- For exterior applications, this results in superior dimensional stability and enhanced resistance to decay-causing fungi.



All O'WOOD thermo wood materials have been tested, and their durability, longevity, and quality meet the highest industry standards.



Freshly installed thermo wood before UV exposure.

Untreated thermo wood exposed to UV light and the elements.

MODIFICATIONS



BRUSHING

Upon request, we offer brushing / aging of wooden boards in three levels – light, medium, and hard – to enhance grain, create a distinctive texture, add character, and help conceal minor wear.



PAINTED / OILED

Professional painting or finishing with lacquer, oil, or protective lasure is available as a separate service upon request, enhancing the wood's color while providing additional protection and durability.























END MATCHING

End matching of the boards is available upon request, ensuring perfectly aligned joints, a seamless visual flow, and a refined, high-quality finish while supporting efficient installation.



ACCESSORIES



PRODUCT			WOOD TYPE	DIMENSIONS (mm)	
HEADREST 370 LIGHT			Aspen, Alder	90x315x370	
HEADREST 450 LIGHT			Aspen, Alder	90x315x450	
HEADREST LINEN			Aspen, Alder	120x315x450	
SAND TIMER			Aspen, Alder, Thermo ash	43x40x275	
SAUNA HANGER			Aspen, Alder, Thermo aspen	150x40x730	
SAUNA HANGER WITH SHELVES			Aspen, Alder, Thermo aspen	175x103x730	
VENTILATION VALVE D100			Aspen, Alder, Thermo aspen	30xD145	
VENTILATION VALVE D125			Aspen, Alder, Thermo aspen	30xD169	
BENCH			Aspen, Alder, Thermo aspen	800x294x365 800x294x430 800x325x365 800x325x430	800x405x365 800x405x430 1000x294x430 1000x325x430 1000x405x430
SAUNA HAT			Wool felt, white Wool felt, gray	One size fits all	

DREAM



Walls: DAVIS / 18x185 / Thermo Radiata
Bench: RUMBA / 26x185 / Thermo Aspen



Walls: DAVIS / 18x185 / Thermo Radiata
Bench: RUMBA / 26x185 / Thermo Radiata



Walls: DAVIS / 15x90 / Thermo Aspen
Bench: PHL / 28x43 / Aspen



Walls: BAREL FIN / 42x115 / Thermo Pine
Bench: PHL / 28x90 / Thermo Aspen



THE WOW SIDE OF WOOD

104a Bebru street
Jekabpils, LV-5201
Latvia
+371 22 421 944
info@owood.lv



WWW.OWOOD.LV